

< Back to results | 1 of 1

Export

Download

Print

E-mail

Save to PDF

Add to List

More...

Full Text

View at Publisher

International Journal of Power Electronics and Drive Systems Open Access
Volume 8, Issue 4, December 2017, Pages 1919-1931

The combination of newton-raphson method and curve-fitting method for PWM-based inverter (Article)

Tohtayong, M.^a, Khan, S.^b, Yaacob, M.^b, Yusoff, S.H.^b, Midi, N.S.^b, Ahmed, M.M.^c, Wafa, S.A.F.^b, Aboadla, E.^b, Aznan, K.A.^b

^aDepartment of Electrical Engineering, Princess of Naradhiwas University, Thailand
^bDepartment of Electrical and Computer Engineering, International Islamic University Malaysia, Malaysia
^cDepartment of Electrical and Electronics Engineering, Universiti Malaysia Sarawak, Malaysia

Abstract View references (25)

This paper presents the combination of two different methods to perform the waveform analysis for PWM-operated inverter. The two techniques are Newton-Raphson method and Curve-Fitting as a PWM concept to operate PWM-based inverter, the proper solutions of switching angles can valuate the initial values by using the Newton-Raphson method with the wide-step calculation of modulation indices. The solutions are then compared using a curve in order to study the behavior. Then, the Curve-Fitting method is used to estimate the missing solutions between any points of wide-step calculation. This combination method can estimate the probable solutions that cannot be solved by Newton-Raphson method in a wide-ranging of the modulation index and reduce the calculation time. PWM-based inverter, which is obtained the switching angles by Newton-Raphson method and the combination of two different methods, is verified by the simulation results showing faster performance with improved Total Harmonic Distortion (THD) than both methods alone when compared the same values of switching angles. © 2017 Institute of Advanced Engineering and Science. All rights reserved.

Author keywords

Curve-fitting Inverter Newton-raphson SHEPWM

Funding details

Funding number	Funding sponsor	Acronym	Funding opportunities
RIGS15-150-0150	Ministry of Higher Education, Malaysia	MOHE	See opportunities by MOHE

Funding text

Financial support for presentation of this work by the Ministry of Higher Education Malaysia (Kementerian Pendidikan Tinggi) under Research Initiative Grant Scheme (RIGS) number RIGS15-150-0150 is highly appreciated.

ISSN: 20888694	DOI: 10.11591/ijpeds.v8i4.pp1919-1931
Source Type: Journal	Document Type: Article
Original language: English	Publisher: Institute of Advanced Engineering and Science

References (25) View in search results format

All

Export

Print

E-mail

Save to PDF

Create bibliography

Metrics

0

Citations in Scopus

0

Field-Weighted Citation Impact

PlumX Metrics

Usage, Captures, Mentions, Social Media and Citations beyond Scopus.

Cited by 0 documents

Inform me when this document is cited in Scopus:

Set citation alert

Set citation feed

Related documents

Harmonic elimination in a single phase inverter output voltage with 2 and 4 bipolar notches in a half cycle by the HGA

Tutkun, N. , Türkkan, Y. , Ibrahimbaş, M. (2010) *SPEEDAM 2010 - International Symposium on Power Electronics, Electrical Drives, Automation and Motion*

Initial guessing generalized formula for selected harmonic elimination PWM technique for cascaded multilevel inverter

Hashem, G.M. , Darwish, M. , Janbey, A. (2011) *International Review on Modelling and Simulations*

A novel harmonics elimination method of cascaded multilevel inverter

Liu, Q. , Wang, H. , Leng, Z. (2007) *IEEE Region 10 Annual International Conference, Proceedings/TENCON*

View metadata, citation and similar papers at [CORE](#)

provided by The International Islamic University Malaysia Repository

brought to you by COBE

- ☐ 1 Vitorino, M.A., Corrêa, M.B.D.R.

Compensation of DC link oscillation in single-phase VSI and CSI converters for photovoltaic grid connection

(2011) *IEEE Energy Conversion Congress and Exposition: Energy Conversion Innovation for a Clean Energy Future, ECCE 2011, Proceedings*, art. no. 6064033, pp. 2007-2014. Cited 19 times.
ISBN: 978-145770542-7
doi: 10.1109/ECCE.2011.6064033

[View at Publisher](#)

- ☐ 2 Yunus, Haroon I., Bass, Richard M.

Comparison of VSI and CSI topologies for single-phase active power filters

(1996) *PESC Record - IEEE Annual Power Electronics Specialists Conference*, 2, pp. 1892-1898. Cited 24 times.

[View at Publisher](#)

- ☐ 3 Li, M., Wang, X., Tan, J.

The analysis of interharmonics generated by VSI-fed adjustable speed drives considering mechanical load fluctuations

(2012) *Proceedings - Power Engineering and Automation Conference, PEAM 2012*, art. no. 6612422.
ISBN: 978-145771600-3
doi: 10.1109/PEAM.2012.6612422

[View at Publisher](#)

- ☐ 4 Jappe, T.K., Lazzarin, T.B., Arbugeri, C.A., Mussa, S.A.

Control strategy for three-phase four-wire PWM VSI parallel connected in UPS applications

(2014) *IEEE International Symposium on Industrial Electronics*, art. no. 6864654, pp. 443-448. Cited 3 times.
ISBN: 978-147992399-1
doi: 10.1109/ISIE.2014.6864654

[View at Publisher](#)

- ☐ 5 Kolhatkar, Y.

Posicast control - An assessment over classical control of active damping for LC filter resonance in VSI inverter for UPS applications

(2011) *Proceedings - 2011 Annual IEEE India Conference: Engineering Sustainable Solutions, INDICON-2011*, art. no. 6139555.
ISBN: 978-145771109-1
doi: 10.1109/INDCON.2011.6139555

[View at Publisher](#)

- ☐ 6 Hembert, F., Le Moigne, P., Cambronne, J.P.

Series association of VSI in high power active filtering

(1996) *PESC Record - IEEE Annual Power Electronics Specialists Conference*, 1, pp. 759-764. Cited 4 times.

[View at Publisher](#)

- ☐ 7 Reed, G.F., Croasdaile, T.R., Paserba, J.J., Williams, R.M., Takeda, M., Jochi, S., Morishima, N., (...), Takamiya, K.

Applications of Voltage Source Inverter (VSI) Based Technology for FACTS and Custom Power Installations

(2000) *PowerCon 2000 - 2000 International Conference on Power System Technology, Proceedings*, 1, art. no. 900087, pp. 381-386. Cited 17 times.
ISBN: 0780363388; 978-078036338-0
doi: 10.1109/ICPST.2000.900087

[View at Publisher](#)

- 8 Kinnares, V., Jangwanitlert, A., Potivejkul, S.
Evaluation of PWM strategies based on practical findings and experimental facts for VSI-fed induction motors

(1998) *IEEE Asia-Pacific Conference on Circuits and Systems - Proceedings*, pp. 185-188. Cited 2 times.
ISBN: 0780351460

[View at Publisher](#)

- 9 Liu, Q., Tao, Y., Liu, X., Deng, Y., He, X.
Voltage unbalance and harmonics compensation for islanded microgrid inverters

(2014) *IET Power Electronics*, 7 (5), pp. 1055-1063. Cited 42 times.

<http://scitation.aip.org/dbt/dbt.jsp?KEY=IPEEBO>

doi: 10.1049/iet-pel.2013.0410

[View at Publisher](#)

- 10 Ahmad, S., Uddin, M.J., Nisu, I.H., Ahsan, M.M.-U., Rahman, I., Samrat, N.H.
Modeling of grid connected battery storage wave energy and PV hybrid renewable power generation

(2017) *ECCE 2017 - International Conference on Electrical, Computer and Communication Engineering*, art. no. 7912933, pp. 375-380.

ISBN: 978-150905626-2

doi: 10.1109/ECACE.2017.7912933

[View at Publisher](#)

- 11 Al-Durra, A., Reznik, A., Simoes, M.G., Muyeen, S.M.
Performance analysis of a grid-tied inverter for renewable energy applications

(2014) *IECON Proceedings (Industrial Electronics Conference)*, art. no. 7049256, pp. 4981-4987.

ISBN: 978-147994032-5

doi: 10.1109/IECON.2014.7049256

[View at Publisher](#)

- 12 Holmes, D.G.
The significance of zero space vector placement for carrier-based PWM schemes

(1996) *IEEE Transactions on Industry Applications*, 32 (5), pp. 1122-1129. Cited 175 times.

doi: 10.1109/28.536874

[View at Publisher](#)

- 13 Bodo, N., Levi, E., Jones, M.
Investigation of carrier-based PWM techniques for a five-phase open-end winding drive topology

(2013) *IEEE Transactions on Industrial Electronics*, 60 (5), art. no. 6189070, pp. 2054-2065. Cited 59 times.

<http://ieeexplore.ieee.org/xpl/tocresult.jsp?isnumber=5410131>

doi: 10.1109/TIE.2012.2196013

[View at Publisher](#)

- 14 Srirattanawichaikul, W., Kumsuwan, Y., Premrudeepreechacharn, S., Wu, B.
A Carrier-Based PWM Strategy for Three-Level Neutral-Point-Clamped Voltage Source Inverters, Power Electron. Drive Syst
(2011) (*PEDS*), 2011 IEEE Ninth Int. Conf., No. December, pp. 5-8.

- 15 Thamizharasan, S., Sudha, L.U., Baskaran, J., Ramkumar, S., Jeevananthan, S.
Carrierless pulse width modulation strategy for multilevel inverters

(2015) *IET Power Electronics*, 8 (10), pp. 2034-2043. Cited 3 times.
<http://scitation.aip.org/dbt/dbt.jsp?KEY=IPEEBO>
doi: 10.1049/iet-pel.2014.0742

[View at Publisher](#)

- 16 El Badsı, I.N., El Badsı, B., Masmoudi, A.
Space Vector PWM Techniques for B3-VSI Fed Three-Phase im Drives

(2016) *2016 IEEE Vehicle Power and Propulsion Conference, VPPC 2016 - Proceedings*, art. no. 7791779.
ISBN: 978-150903528-1
doi: 10.1109/VPPC.2016.7791779

[View at Publisher](#)

- 17 Tian, K., Wang, J., Wu, B., Xu, D., Cheng, Z., Zargari, N.R.
A new space vector modulation technique for common-mode voltage reduction in both magnitude and third-order component

(2014) *2014 IEEE Energy Conversion Congress and Exposition, ECCE 2014*, art. no. 6954151, pp. 5472-5478. Cited 2 times.
ISBN: 978-147995698-2
doi: 10.1109/ECCE.2014.6954151

[View at Publisher](#)

- 18 Ghosh, A., Santra, S.B., Biswal, P., Chhotaray, P.
Reduced current ripple for Space Vector Pulse Width Modulation using Z source inverter

(2016) *2016 International Conference on Computation of Power, Energy, Information and Communication, ICCPEIC 2016*, art. no. 7557336, pp. 520-526. Cited 2 times.
ISBN: 978-150900901-5
doi: 10.1109/ICCPEIC.2016.7557336

[View at Publisher](#)

- 19 Li, L., Czarkowski, D., Liu, Y., Pillay, P.
Multilevel selective harmonic elimination PWM technique in series-connected voltage inverters

(2000) *IEEE Transactions on Industry Applications*, 36 (1), pp. 160-170. Cited 195 times.
doi: 10.1109/28.821811

[View at Publisher](#)

- 20 Krismadinata, A.R., Nasrudin, W., Hew, P., Selvaraj, J.
Elimination of harmonics in photovoltaic seven-level inverter with Newton-Raphson optimization," 3rd (2013) *Int. Conf. Sustain. Futur. Hum. Secur. (SUSTAIN 2012)*, 17, pp. 519-528.

- 21 El-Naggar, K., Abdelhamid, T.H.
Selective harmonic elimination of new family of multilevel inverters using genetic algorithms

(2008) *Energy Conversion and Management*, 49 (1), pp. 89-95. Cited 92 times.
doi: 10.1016/j.enconman.2007.05.014

[View at Publisher](#)

□ 22 Hosseini Aghdam, M.G., Fathi, S.H., Gharehpetian, G.B.
Elimination of harmonics in a multi-level inverter with unequal DC sources using the homotopy algorithm
(2007) *IEEE International Symposium on Industrial Electronics*, art. no. 4374660, pp. 578-583. Cited 36 times.
ISBN: 1424407559; 978-142440755-2
doi: 10.1109/ISIE.2007.4374660
[View at Publisher](#)

□ 23 Wenyi, Z., Zhenhua, L.I.
(2015) *Based on Particle Swarm Optimization BP Network of Selective Harmonic Elimination Technique Research*, pp. 3473-3477.

□ 24 Sundareswaran, K., Jayant, K., Shanavas, T.N.
Inverter harmonic elimination through a colony of continuously exploring ants
(2007) *IEEE Transactions on Industrial Electronics*, 54 (5), pp. 2558-2565. Cited 101 times.
doi: 10.1109/TIE.2007.899846
[View at Publisher](#)

□ 25 Chiasson, J., Tolbert, L., McKenzie, K., Du, Z.
Eliminating harmonics in a multilevel converter using resultant theory
(2002) *PESC Record - IEEE Annual Power Electronics Specialists Conference*, 2, pp. 503-508. Cited 81 times.
[View at Publisher](#)

👤 Tohtayong, M.; Departement of Electrical Engineering, Faculty of Engineering, Princess of Naradhiwas University (PNU, 99 Mueang, Narathiwat, Thailand; email:majdee@gmail.com
© Copyright 2018 Elsevier B.V., All rights reserved.

< Back to results | 1 of 1

^ Top of page

About Scopus

What is Scopus
Content coverage
Scopus blog
Scopus API
Privacy matters

Language

日本語に切り替える
切换到简体中文
切换到繁體中文
Русский язык

Customer Service

Help
Contact us

ELSEVIER

[Terms and conditions](#) [Privacy policy](#)

Copyright © 2018 Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

Cookies are set by this site. To decline them or learn more, visit our [Cookies page](#).

 RELX Group™